TECHO—BLOC

INSPIRING ARTSCAPES



Masonry Catalog



For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Color samples for reference only. Actual product colors may vary.

Content

Bricks and Stone Collections

Brandon 08
Iconic 13

Stones

Alür 19
Chantilly 20
Madison Grande 22
Madison Various 25

Bricks

Griffintown 29
Visconti 31

Architectural Series

Architectural Block 34
LaRochelle Stone 39

Accessories

LaRochelle Sill 44
LaRochelle Keystone 44

Technical Specifications

Compatibility Chart 46
Technical Specifications 47
Warranty 54

Breaking the mold

A word from Techo-Bloc's founder and president, Charles Ciccarello.

As early as I can remember, I was captivated by the work of my father. He was a landscaper, and I had always admired the craft. At that time, I'd see the same brick-style concrete products everywhere I went. No matter how creative we got, we were always limited by the materials. I was hungry for something different and the market was starved of choice.

I started Techo-Bloc as a 26-year-old landscaper with the defiant belief that the landscaping & masonry industry needed some shaking up. This was my main driver and motivator. I became consumed with the idea of manufacturing better concrete products; ones with eye-catching colors and different shapes and sizes. We broke the mold of the beloved brick, and we haven't rested since.

True to form, 2021 denotes another year of change, evolution and pushing the boundaries. We've launched some incredibly avant-garde paving stones, wall designs, masonry products, new technology and revised our packaging to reduce plastic consumption.

Over the years, we've empowered designers, contractors and homeowners with the colors, textures, design ideas and support to create standout statement-making spaces outdoors. However, it's been our creative vision and bold aesthetics that have allowed us to build an incredible community of like-minded individuals that are redefining what is expected of outdoor design.

Every day I am reminded of the responsibility and the great honour Techo-Bloc has in its piece of the puzzle. Thank you for trusting us. Exchanging with us. Inspiring us.



Brick and Stone Collection

Beauty and elegance at your fingertips

Once again, Techo-Bloc has broken the mold with our Brandon and Iconic collections. The array of color options paired with design combination possibilities, make these two collections nothing less than noteworthy. Customize your home according to your imagination and give free rein to your creativity!



Brandon Brick - Black Pearl

Technical specifications on page **48**

Brandon (T)

Calico
Available
for brick only



Shale Grey



Davenport Grey
Available
for brick only



Sienna Onyx Grey




Graphite Grey



Black Pearl





Brandon Brick - Black Pearl

45° Corner Stones

Height: 3 15/16 in 100 mm

9 1/16 × 11 × 13 3/4
230 × 280 × 350



Stones

Height: 3 15/16 in 100 mm

9 1/16 × 9 1/16
230 × 230



9 1/16 × 13 3/4
230 × 250





Brandon Brick and Stone - Shale Grey

45° Corner Stones

Height: 3 9/16 in 90 mm

4 5/16 × 6 5/16 × 9 1/16
110 × 160 × 230



4 5/16 × 8 11/16 × 11 7/16
110 × 220 × 290



4 5/16 × 11 × 13 3/4
110 × 280 × 350



Brick

Height: 3 9/16 in 90 mm

4 5/16 × 4 5/16
110 × 110

4 5/16 × 6 11/16
110 × 170



4 5/16 × 9 1/16
110 × 230



4 5/16 × 11 7/16
110 × 290



4 5/16 × 13 3/4
110 × 350






Iconic Brick & Stone - Urban Pattern - Silver Waves

Technical specifications on page **50**

Ⓢ Iconic



Iconic Brick and Stone - Urban Pattern - Silver Waves



Iconic Brick and Stone - Timeless Pattern - Tints of Vanilla



Tints of Vanilla



Silver Waves




Volcanic Black
Black mortar is recommended


Stones

Height: 3 $^{9}/_{16}$ in 90 mm


6 $^{5}/_{8}$ × 17 $^{5}/_{8}$
168 × 448



6 $^{5}/_{8}$ × 23 $^{5}/_{8}$
168 × 600



6 $^{5}/_{8}$ × 29 $^{5}/_{8}$
168 × 752



Bricks

Height: 3 $^{9}/_{16}$ in 90 mm


3 $^{1}/_{8}$ × 23 $^{5}/_{8}$
79 × 600



Patterns


Combining the Iconic stone and brick creates a bold and distinguished effect. Its multiple layouts denote its versatility and it is compatible with all styles of architecture. Iconic's various arrangements will undoubtedly fit perfectly with your taste and become the emblem of your home.

Luxurious




60% Stones, 40% Bricks

Balanced




50% Stones, 50% Bricks

Timeless



40% Stones, 60% Bricks

Urban



30% Stones, 70% Bricks



Iconic Brick and Stone - Timeless Pattern - Tints of Vanilla

Stones

Build up to something beautiful.

Both elegant and classic, stone masonry is the perfect way to complement the unique character of your home. Its natural stone appeal will bring originality and boldness to the exterior of your residence. Let the combination of brawn and beauty add a look to your home that will transcend time.



Alür Stone - Sienna Onyx Grey

Technical specifications on page **47**

Ⓣ Alür



Alür Stone - Davenport Grey



Alür Stone - Davenport Grey



Calico



Davenport Grey



Sienna Onyx Grey



Graphite Grey

Stones

Height: 3 15/16 in 100 mm

3 ½ × 4 ¼ 89 × 108	3 ½ × 9 89 × 229	3 ½ × 13 ¾ 89 × 349	3 ½ × 18 ½ 89 × 470	7 ½ × 9 191 × 229	7 ½ × 13 ¾ 89 × 349	7 ½ × 18 ½ 89 × 470	11 ½ × 13 ¾ 292 × 349	11 ½ × 18 ½ 292 × 470
								

Stones

Height: 4 15/16 in 125 mm

8 x 6 230 × 152

45º Corner

Height: 3 15/16 in 100 mm

3 ½ × 9 13/16 x 12 89 × 250 x 305	3 ½ × 15 13/16 x 18 89 × 402 x 457	7 ½ × 9 13/16 x 12 191 × 250 x 305	7 ½ × 15 13/16 x 18 191 × 402 x 457	11 ½ × 9 13/16 x 12 292 × 250 x 305	11 ½ × 15 13/16 x 18 292 × 402 x 457
					

Technical specifications on page **49**

Chantilly (S)

Sahara Beige

Hacienda

Hacienda Light

Victoria



Chantilly Stone - Victoria



Chantilly Stone - Hacienda Light

45º Corners

Height: 3 15/16 in 100 mm

11 ½ × 16 ½ × 18 292 × 419 × 457	11 ½ × 9 ½ × 12 292 × 241 x 305	7 ½ × 16 ½ × 18 191 × 419 × 457	7 ½ × 9 ½ × 12 191 × 241 × 305	3 ½ × 16 ½ × 18 89 x 419 × 457	3 ½ × 9 ½ × 12 89 x 241 × 304

Candle

Height: 4 5/16 in 110 mm

7 ½ × 5 ½ 140 × 190

Stones

Height: 3 15/16 in 100 mm

11 ½ × 18 ½ 292 × 470	11 ½ × 13 ¾ 292 × 349	7 ½ × 18 ½ 191 × 470	7 ½ × 13 ¾ 191 × 349	7 ½ × 9 191 × 229	3 ½ × 18 ½ 89 × 470	3 ½ × 13 ¾ 89 × 349	3 ½ × 9 89 × 229	3 ½ × 4 ¼ 89 × 108

Technical specifications on page **52**

Madison Ⓣ

Grande

	Smooth	Slate
Urban White		
Platinum Grey		
Sienna Onyx Grey		
Graphite Grey		



Madison Grande Stone Slate - Sienna Onyx Grey

Grande

Height: 3 9/16 in 90 mm

9 1/16 × 15 3/4 230 x 400	9 1/16 × 17 11/16 230 x 450	9 1/16 × 19 11/16 230 x 500	9 1/16 × 21 5/8 230 x 550	9 1/16 × 23 5/8 230 x 600	9 1/16 × 25 9/16 230 x 650
▭	▭	▭	▭	▭	▭



Technical specifications on page **53**

Madison

Various



Madison Various Stone Smooth - Graphite Grey

Smooth	Slate	
		Urban White
		Platinum Grey
		Sienna Onyx Grey
		Graphite Grey

Various Sizes

Height: 3 9/16 in 90 mm

3 9/16 × 15 3/4 90 x 400	3 9/16 × 17 11/16 90 x 450	3 9/16 × 19 11/16 90 x 500	3 9/16 × 21 5/8 90 x 550	3 9/16 × 23 5/8 90 x 600	3 9/16 × 25 9/16 90 x 650
5 1/8 × 15 3/4 130 x 400	5 1/8 × 17 11/16 130 x 450	5 1/8 × 19 11/16 130 x 500	5 1/8 × 21 5/8 130 x 550	5 1/8 × 23 5/8 130 x 600	5 1/8 × 25 9/16 130 x 650

Bricks

Taking curb appeal to new heights.

From modern to traditional, our collection of bricks has something for everyone. Choose from straight and clean lines or rough-hewn classics to customize your home to your unique style. They are guaranteed to complement the design and aesthetic of any home, making them the ideal masonry choice for your exterior project.



Griffintown Brick - Elegant White (on order only)

Technical specifications on page **50**

Griffintown



Griffintown Brick - Elegant White (on order only)



Griffintown Brick - Graphite Grey



Calico



Satin Grey



Champlain Grey



Graphite Grey

Black Pearl

Brick

Height: 3 ½ in 90 mm


3 ⅛ × 10 ⅛
79 × 257

Technical specifications on page **53**

Visconti



Visconti Brick - Black Pearl et Shale Grey



Visconti Brick - Black Pearl et Shale Grey



Shale Grey



Champlain Grey



Graphite Grey



Black Pearl

Brick

Height: 3 9/16 in 90 mm

3 15/16 × 12 5/8
100 × 320

Corner

Height: 3 9/16 in 90 mm

3 15/16 × 12 3/8 × 12 5/8
100 × 320 x 315

Architectural Series

The building blocks of style.


These oversized and larger than life blocks are amongst our most diverse masonry offerings. Our Architectural Block and LaRochelle collection provide you with trendy colors and larger than life textures so you can let your creativity run wild. These out-of-the-box beauties will allow you to fully customize your curb appeal for a jaw-dropping home.



LaRochelle Stone 12x24 Grinded - Elegant White

Technical specifications on page **48**

Architectural Block Ⓣ



Block 4 x 16

Height: 3 9/16 in 90 mm

3 9/16 × 15 3/8
90 × 390


Block 8 x 16

Height: 3 9/16 in 90 mm


7 1/2 × 15 3/8
190 × 390



Architectural Block 8x16 Smooth - Elegant White



LaRochelle Stone - Grinded Grey



LaRochelle Stone - Polished Elegant White



Griffintown Brick - Elegant White and LaRochelle Stone 4 x 24 and 8 x 24 Grinded - Carbon

Brick
Height: 3 9/16 in 90 mm
3 9/16 × 11 7/16
90 × 290

Corner Brick
Height: 3 9/16 in 90 mm
3 9/16 × 11 7/16
90 × 290

Stone 4 x 24
Height: 3 9/16 in 90 mm
3 9/16 × 23 1/4
90 × 590

Stone 6 x 24
Height: 3 9/16 in 90 mm
5 1/2 × 23 1/4
140 × 590

Stone 8 x 24
Height: 3 9/16 in 90 mm
7 1/2 × 23 1/4
190 × 590


Stone 12 x 24
Height: 3 9/16 in 90 mm
11 3/8 × 23 1/4
390 × 590

Sill
Height: 3 9/16 in 90 mm
5 11/16 × 23 1/4
145 × 590

Keystone
Height: 3 9/16 in 90 mm
11 7/16 × 6 × 8
290 × 152 x 203

Technical specifications on page **51**

LaRochelle Stone





LaRochelle Stone 12 x 24 Grinded - Pure White

Accessories

The final touches to your home transformation

Your home transformation is almost complete. You've thought of everything, except masonry accessories. Don't worry, we've got you covered. We offer a window sill and keystone design that will help you bring your home project vision to life. Final touches are key to any successful project. Thankfully, we've thought of every last detail.



Iconic Brick and Stone - Tints of Vanilla with LaRochelle Sill




Architectural Block 8x16 - Smooth Elegant White - LaRochelle Sill Split Face - Elegant White


LaRochelle Sill

The Techo-Bloc window sills come in 7 shades and 5 textures that pair beautifully with our LaRochelle stones and architectural blocks, allowing you to bring your home project vision to life. Our sills will also add elegance and finesse to all our ranges of masonry products.


Texture without Chamfer



Texture with Chamfer



Split Face without Chamfer




Technical specifications on page **52**


LaRochelle Keystone

Our keystones are available in 7 shades and 3 textures. In addition, you can choose whether you want your Keystone with or without chamfer to match your design needs.

Texture without Chamfer




Texture with Chamfer



Technical specifications on page **52**



Architectural Block - Nickel Grinded
LaRochelle Candle/Lintel - Nickel Grinded
LaRochelle Sill - Nickel Grinded



Chantilly Stone - Victoria

Compatibility Chart

	Bricks					Stones										Blocks		Acc.	
	Brandon	Griffintown	Iconic	Triana	Visconti	Alür	Brandon	Chantilly	Iconic	LaRochelle 4 x 24	LaRochelle 6 x 24	LaRochelle 8 x 24	LaRochelle 12 x 24	Madison Grande	Madison Various	Architectural Block 4 x 16	Architectural Block 8 x 16	LaRochelle Sill	LaRochelle Keystone
Bricks																			
Brandon	x					x	x	x		x	x	x	x	x	x	x	x	x	x
Griffintown		x				x		x	x	x	x	x	x	x	x	x	x	x	x
Iconic			x						x	x	x	x	x			x	x	x	x
Visconti					x	x		x		x	x	x	x	x	x	x	x	x	x
Stones																			
Alür	x	x		x	x	x				x	x	x	x			x	x	x	x
Brandon	x						x			x	x	x	x			x	x	x	x
Chantilly	x	x	x	x	x			x		x	x	x	x			x	x	x	x
Iconic		x	x						x	x	x	x	x			x	x	x	x
LaRochelle 4 x 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 6 x 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 8 x 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle 12 x 24	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Madison Grande	x	x		x	x					x	x	x	x		x	x	x	x	x
Madison Various	x	x		x	x					x	x	x	x	x		x	x	x	x
Blocks																			
Architectural Block 4 x 16	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Architectural Block 8 x 16	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Accessories																			
LaRochelle Sill	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LaRochelle Keystone	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x

NOTE: The combinations shown in this chart are not complete. Other possible combinations exist.

Technical Specifications

Alür


Ⓣ

Stones

Sold by full pallet

CUBING
7,21 m² / 77,65 ft² per pallet
1,03 m² / 11,09 ft² per row
1 385 kg / 3053 lbs
126 units
7 row of 18 units

A-B-C-D = 19% / E-F-G = 56% / H-I = 25%





A- 2% (14 units/pallet)
100 × 89 × 108mm
3 15/16 × 3 1/2 × 4 1/4 in



B- 9% (28 units/pallet)
100 × 89 × 229mm
3 15/16 × 3 1/2 × 9 in



C - 3% (7 units/pallet)
100 × 89 × 349mm
3 15/16 × 3 1/2 × 13 3/4 in



D - 5% (7 units/pallet)
100 × 89 × 470mm
3 15/16 × 3 1/2 × 18 1/2 in



E - 9% (14 units/pallet)
100 × 191 × 229m
3 15/16 × 7 1/2 × 9 in



F- 28% (28 units/pallet)
100 × 191 × 349mm
3 15/16 × 7 1/2 × 13 3/4 in



G- 19% (14 units/pallet)
100 × 191 × 470mm
3 15/16 × 7 1/2 × 18 1/2 in



H- 11% (7 units/pallet)
100 × 292 × 349mm
3 15/16 × 11 1/2 × 13 3/4 in




I- 14% (7 units/pallet)
100 × 292 × 470mm
3 15/16 × 11 1/2 × 18 1/2 in

Stones / 45° Corners

Sold by full pallet or row

CUBING
10,99 lin. m / 36,04 lin. ft per pallet
2,20 lin. m / 7,21 lin. ft per row
789 kg / 1739 lbs
70 units
5 row of 14 units

A-B = 36% / C-D = 37% / E-F = 27%





A- 29% (20 units/pallet)
100 × 89 × 250 × 305mm
3 15/16 × 3 1/2 × 9 13/16 × 12 in



B- 29% (20 units/pallet)
100 × 89 × 402 × 457mm
3 15/16 × 3 1/2 × 15 13/16 × 18 in



E- 7% (5 units/pallet)
100 × 292 × 250 × 305mm
3 15/16 × 11 1/2 × 9 13/16 × 12 in



F- 7% (5 units/pallet)
100 × 292 × 402 × 457mm
3 15/16 × 11 1/2 × 15 13/16 × 18 in



C- 14% (10 units/pallet)
100 × 191 × 250 × 305mm
3 15/16 × 7 1/2 × 9 13/16 × 12 in




D- 14% (10 units/pallet)
100 × 191 × 402 × 457mm
3 15/16 × 7 1/2 × 15 13/16 × 18 in

Stones / Candle

Sold by full pallet or row

CUBING
1383 kg / 3050 lbs
168 units
6 row of 28 units





125 × 152 × 203 mm
4 15/16 × 6 × 8 in


Architectural Block

Ⓣ

Block 4 x 16

Sold by unit

CUBING
8,41 m² / 90,42 ft² per pallet
24,96 units per m² /2,32 units per ft²
1143 kg / 2520 lbs (Onyx Black 1493 kg/3292 lbs)
210 units
7 row of 30 units






90 × 90 × 390 mm
3 3⁄16 × 3 3⁄16 × 15 3⁄8 in

TEXTURES (SEE PAGE 38)
Granitex
Polished
Grinded

Block 8 x 16

Sold by unit

CUBING
8,40 m² / 90,42 ft² per pallet
12,50 units per m² / 1,16 units per ft²
1143 kg / 2520 lbs (Onyx Black 1524 kg / 3360 lbs)
105 units
7 row of 15 units






90 × 190 × 390 mm
3 3⁄16 × 7 ½ × 15 3⁄8 in

TEXTURES (SEE PAGE 38)
Granitex
Smooth
Polished
Grinded

Block Split Face 4 x 16

Sold by full pallet

CUBING
8,40 m² / 62 ft² per pallet
12,50 units per m² / 1,16 units per ft²
970 kg / 2138 lbs (Onyx Black 1294 kg / 2853 lbs)
72 units (12 corner units)
3 row of 24 units





90 × 190 × 390 mm
3 3⁄16 × 7 ½ × 15 3⁄8 in

TEXTURES (SEE PAGE 38)
Split Face

Sales conditions

- A minimum order of 3,000 units is required for Elite colors.
- Check availability with our customer service or your representative.
- All orders must be picked up or delivered within 30 days of the confirmed delivery date..
- The order is considered final 24 hours after it is received at Techo-Bloc.
  No changes will be accepted after 24 hours.
- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3⁄8" dimension.
- The bevel have a grinded finish.
- The split face texture is only available for the following format :
  90 x 190 x 390 mm (3,54 × 7,48 × 15,35 in.).


Brandon

Ⓣ

Bricks

Sold by full pallet

CUBING
8,88 m² / 95,60ft² per pallet
1,11 m² / 11,95 ft² per row
1616 kg / 3563 lbs
288 units
8 row of 36 units





A - 2% (16 units/pallet)
90 × 110 × 110 mm
3 3⁄16 × 4 5⁄16 × 4 5⁄16 in



B - 17% (72 units/pallet)
90 × 110 × 170 mm
3 3⁄16 × 4 5⁄16 × 6 11⁄16 in



C - 24% (72 units/pallet)
90 × 110 × 230 mm
3 3⁄16 × 4 5⁄16 × 9 1⁄16 in



D - 33% (80 units/pallet)
90 × 110 × 290 mm
3 3⁄16 × 4 5⁄16 × 11 7⁄16 in




E - 24% (48 units/pallet)
90 × 110 × 350 mm
3 3⁄16 × 4 5⁄16 × 13 3⁄4 in

Bricks / 45° Corners

Sold by full pallet or row

CUBING
12,50 lin. m / 41 lin. ft per pallet
3,12 lin. m / 10,23 lin. ft per row
665 kg / 1467 lbs
104 units
4 row of 26 units





A- 18% (24 units/pallet)
90 × 110 × 160 × 230mm
3 3⁄16 × 4 5⁄16 × 6 15⁄16 × 9 1⁄16 in



B - 29% (32 units/pallet)
90 × 110 × 220 × 290mm
3 3⁄16 × 4 5⁄16 × 8 11⁄16 × 11 7⁄16 in




C - 53% (48 units/pallet)
90 × 110 × 280 × 350mm
3 3⁄16 × 4 5⁄16 × 11 × 13 3⁄4in

Stones

Sold by full pallet

CUBING
8,29 m² / 89,28 ft² per pallet
1,04 m² / 11,16 ft² per row
1 616 kg / 3563 lbs
120 units
8 row of 15 units





A- 50% (72 units/pallet)
100× 230 × 230 mm
3 15⁄16 × 9 1⁄16 × 9 1⁄16 in




B- 50 % (48 units/pallet)
100 × 230 × 350 mm
3 15⁄16 × 9 1⁄16 × 13 3⁄4 in

Stones / 45° Corners

Sold by full pallet or row

CUBING
11,52 lin. m / 37,80 lin. ft per pallet
2,88 lin. / 9,45 lin. ft per row
774kg / 1706 lbs
48 units
4 row of 12 units





100 × 230 × 280 × 350mm
3 15⁄15 × 9 1⁄16 × 11 × 13 3⁄4 in


Chantilly

Ⓢ

Stones

Sold by full pallet

CUBING
5,69 m² / 61.24 ft² per pallet
0,948 m² / 10,206 ft² per row
1 102 kg / 2430 lb
96 units
6 row of 16 units
A-B-C-D=20% / E-F-G=53% / H-I=27%





A- (12 units/pallet)
100 × 89 × 108mm
3 15⁄16 × 3 ½ × 4 ¼ in



B- (12 units/pallet)
100 × 89 × 229mm
3 15⁄16 × 3 ½ × 9 in



C- (12 units/pallet)
100 × 89 × 349mm
3 15⁄16 × 3 ½ × 13 ¾ in



D- (6 units/pallet)
100 × 89 × 470mm
3 15⁄16 × 3 ½ × 18 ½ in



E- (12 units/pallet)
100 × 191 × 229mm
3 15⁄16 × 7 ½ × 9 in



F- (18 units/pallet)
100 × 191 × 349mm
3 15⁄16 × 7 ½ × 13 ¾ in



G- (12 units/pallet)
100 × 191 × 470mm
3 15⁄16 × 7 ½ × 18 ½ in



H- (6 units/pallet)
100 × 292 × 349mm
3 15⁄16 × 11 ½ × 13 ¾ in




I - (6 units/pallet)
100 × 292 × 470mm
3 15⁄16 × 11 ½ × 18 ½ in

Stones / 45° Corners

Sold by full pallet or row

CUBING
9,61 lin. m / 31,54 lin. ft per pallet
2,403 lin. m / 7,884 lin. ft per row
816 kg / 1800 lb
52 units
4 row of 13 units
A-B=18% / C-D=44% / E-F=38%





A- 9% (12 units/pallet)
100 × 88 × 241 × 304mm
3 15/16 × 3 ½ × 9 ½ × 12 po



B- 9% (8 units/pallet)
100 × 89 × 419 × 457mm
3 15/16 × 3 ½ × 16 ½ × 18 po



C - 6% (4 units/pallet)
100 × 191 × 241 × 305mm
3 15/16 × 7 ½ × 9 ½ × 12 po



D- 38% (16 units/pallet)
100 × 191 × 419 × 457 mm
3 15/16 × 7 ½ × 16 ½ × 18 po



E- 10% (4 units/pallet)
100 × 292 × 241 × 305mm
3 15/16 × 11 ½ × 9 ½ × 12 po




F- 28% (8 units/pallet)
100 × 292 × 419 × 457mm
3 15/16 × 11 ½ × 16 ½ × 18 po

Stones / Candle

Sold by full pallet or row

CUBING
1067 kg / 2353 lb
120 units
5 row of 24 units






127 × 160 × 203 mm
5 × 6 5/16 × 8 in

Griffintown

Brick

Sold by full pallet

CUBING
8,36 m² / 90,04 ft² per palet
1,05 m² / 11,25 ft² per row
42,08 units per m² / 3,91 units per pi²
1275 kg / 2811 lb
352 units
8 row of 44 units
Unit A : 288 units/palet
Unit B : 64 units/palet





A- 82% (36 units/row)
90× 79× 257 mm
3 ½ × 3 1/8 × 10 1/8 in




B- 18% (8 units/row)
90× 79× 257 mm
3 ½ × 3 1/8 × 10 1/8 in

Iconic

Bricks

Sold by full pallet

CUBING
8,40 m² / 90,38 ft² par pallete
1,20 m² / 12,91 ft² par rang
18,34 units per m² / 1,70 units per ft²
1461 kg / 3220 lb
154 units
7 row of 22 units





A- 95% (147 units/pal)
90 × 79 × 600mm
3 9/16 × 3 1/8× 23 5/8 in




B-5% (7 units/pal)
90 × 79 × 600mm
3 9/16 × 3 1/8× 23 5/8 in

Stones

Sold by full pallet

CUBING
6,09 m² / 65,56 ft² per pallet
0,874 m² / 9,37 ft² per row
1 125 kg / 2481 lbs
56 units
7 row of 8 units





A- 28% (21 units/pallet)
90 × 168 × 448 mm
3 9/16 × 6 5/8 × 17 5/8 in



B-25% (14 units/pallet)
90 × 168 × 600mm
3 9/16 × 6 5/8 × 23 5/8 in




C-47% (21 units/pallet)
90 × 168× 752mm
3 9/16 × 6 5/8× 29 5/8 in

LaRochelle

Stone 4 x 24

Sold by unit

CUBING
140 units / 7 row of 20 units
1474 kg / 3250 lbs
11 kg / 24,35 lbs per unit
Onyx Black
2072 kg / 4568 lbs
14,7 kg / 32,34 lbs per unit






90 × 90 × 590 mm
3 9/16 × 3 9/16 × 23 1/4in

TEXTURES (SEE PAGE 43)
Granitex
Polished
Grinded

Stone 6 x 24

Sold by unit

CUBING
84 units / 7 row of 12 units
1440 kg / 3175 lbs
17 kg / 37,5 lbs per unit
Onyx Black
1866 kg / 4114 lbs
22 kg / 48,50 lbs per unit






90 × 140 × 590 mm
3 9/16 × 5 1/2 × 23 1/4 in

TEXTURES (SEE PAGE 43)
Granitex
Smooth
Polished
Grinded

Stone 8 x 24

Sold by unit

CUBING
70 units / 7 row of 10 units
1633 kg / 3600 lbs
22 kg / 48,50 lbs per unit
Onyx Black
2048 kg / 4515 lbs
29 kg / 63,93 lbs per unit





90 × 190 × 590 mm
3 9/16 × 7 1/2× 23 1/4 in

TEXTURES (SEE PAGE 43)
Granitex
Smooth
Polished
Grinded

Stone 12 x 24

Sold by unit

CUBING
42 units / 7 row of 6 units
1440 kg / 3172 lbs
34 kg / 75 lbs per unit
Onyx Black
1866 kg / 4114 lbs
44 kg / 97 lbs per unit






90 × 290 × 590 mm
3 9/16 × 11 7/16 × 23 1/4 in

TEXTURES (SEE PAGE 43)
Granitex
Smooth
Polished
Grinded

Sill

Sold by unit

CUBING
49,55 lin. m / 162,54 lin. ft per pallet
84 units / 7 row of 12 units
1403 kg / 3094 lbs
17,40 kg / 38,36 lbs per unit
Onyx Black
1849 kg / 4077 lbs
21,80 kg / 48,06 lbs per unit






145 × 90 × 590 mm
5 $^{11}/_{16}$ × 3 $^{9}/_{16}$ × 23 ¼ in

TEXTURES (SEE PAGE 48)
Split Face
Granitex
Polished
Grinded

Keystone

Sold by unit

CUBING
105 units / 7 row of 15 units
1176 kg / 2592 lbs
10,59 kg / 23,35 lbs per unit
Onyx Black
1428 kg / 3148 lbs
13 ½ kg / 29,76 lbs per unit






90 × 290 × 152 × 203mm
3 $^{9}/_{16}$× 11 $^{7}/_{16}$× 6 × 8 in

TEXTURES (SEE PAGE 48)
Granitex
Polished
Grinded

Bricks

Sold by full pallet

CUBING
7,92 m² / 85,25 ft² per pallet
0,99 m² / 10,66 ft² per row
33,33 units per m² / 3,10 units per ft²
1395 kg / 3076 lbs
264 units
8 row of 33 units





Regular - 33% (88 units/pallet)
90 × 90 × 290 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 11 $^{7}/_{16}$ in



Corner - 67% (176 units/pallet)
90 × 90 × 290 × 285 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 11 $^{7}/_{16}$ × 11 ¼ in

TEXTURES
Granitex
Polished
Grinded

Sales conditions / Stones, Sills and Keystones

- A minimum order of 3,000 units is required for Elite colors.
- Check availability with our customer service or your representative.
- All orders must be picked up or delivered within 30 days of the confirmed delivery date.
- The order is considered final 24 hours after it is received at Techo-Bloc. No changes will be accepted after 24 hours.
- The order cannot be cancelled. The customer is responsible for the entire order.
- The bevel is 3/16" dimension.
- The bevel have a grinded finish.
- The split face texture is only available for the following format: 90 x 190 x 390 mm (3,54 × 7,48 × 15,35 in.).

Madison *Grande*

Ⓣ

Stones

Sold by full pallet

CUBING
7,19m² / 77,40 ft² per pallet
1,03 m² / 11,06 ft² per row
1420 kg / 3130 lbs
56 units
7 row of 8 units

A	F
E	B
C	D
F	A



A - 19% (14 units/pallet)
90 × 230 × 400 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 15 ¾ in



B - 11% (7 units/pallet)
90 × 230 × 450 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 17 $^{11}/_{16}$ in



C - 12% (7 units/pallet)
90 × 230 × 500 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 19 $^{11}/_{16}$ in



D - 13% (7 units/pallet)
90 × 230 × 550 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 21 $^{5}/_{8}$ in



E - 14% (7 units/pallet)
90 × 230 × 600 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 23 $^{5}/_{8}$ in



F - 31% (14 units/pallet)
90 × 230 × 650 mm
3 $^{9}/_{16}$ × 9 $^{1}/_{16}$ × 25 $^{9}/_{16}$ in

Madison *Various*

Ⓣ

Stones

Sold by full pallet

CUBING
7,19m² / 77,40 ft² per pallet
1,03 m² / 11,06 ft² per row
1380 kg / 3042 lbs
112 units
7 row of 16 units

D	C
G	L
E	B
H	K
F	A
I	J
A	F
L	G



A - 8% (14 units/pallet)
90 × 90 × 400 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 15 ¾ in



B - 4% (7 units/pallet)
90 × 90 × 450 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 17 $^{11}/_{16}$ in



C - 5% (7 units/pallet)
90 × 90 × 500 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 19 $^{11}/_{16}$ in



D - 5% (7 units/pallet)
90 × 90 × 550 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 21 $^{5}/_{8}$ in



E - 6% (7 units/pallet)
90 × 90 × 600 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 23 $^{5}/_{8}$ in



F - 13% (14 units/pallet)
90 × 90 × 650 mm
3 $^{9}/_{16}$ × 3 $^{9}/_{16}$ × 25 $^{9}/_{16}$ in



G - 11% (14 units/pallet)
90 × 130 × 400 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 15 ¾ in



H - 6% (7 units/pallet)
90 × 130 × 450 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 17 $^{11}/_{16}$ in



I - 7% (7 units/pallet)
90 × 130 × 500 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 19 $^{11}/_{16}$ in



J - 8% (7 units/pallet)
90 × 130 × 550 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 21 $^{5}/_{8}$ in



K - 8% (7 units/pallet)
90 × 130 × 600 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 23 $^{5}/_{8}$ in



L - 18% (14 units/pallet)
90 × 130 × 650 mm
3 $^{9}/_{16}$ × 5 $^{1}/_{8}$ × 25 $^{9}/_{16}$ in


Visconti

Ⓣ

Bricks

Sold by full pallet

CUBING
9,58 m² / 103,15 ft² per pallet
1,20 m² / 12,89 ft² per row
27,55 units per m² / 2,56 units per ft²
1707 kg / 3763 lbs
264 units
8 row of 33 units





Regular - 67% (176 units/pallet)
90 × 100 × 320 mm
3 $^{9}/_{16}$ × 3 $^{15}/_{16}$ × 12 $^{5}/_{8}$ in



Corner - 33% (88 units/pallet)
90 × 100 × 320 × 315 mm
3 $^{9}/_{16}$ × 3 $^{15}/_{16}$ × 12 $^{3}/_{8}$ × 12 $^{5}/_{8}$ in

Important Notes

COLOR

Due to the inherent nature of printed literature and current digital media, Techo-Bloc cannot guarantee specific colour matching to printed representations of its colour swatches. Therefore, colour samples shown are reproduced as precisely as possible but may vary from actual product colours.

Final colour selection should be made at your local dealer from stocked product. Techo-Bloc always recommends immediately verifying the product and colour upon reception to ensure that the delivered materials correspond to your order. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes your acceptance of the product as is.

For a natural appearance, each shade of colour is composed of a variety of darker & lighter tones. Natural aggregates such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. All Techo-Bloc bricks and stones feature through-and-through color which allows them to be cut on-site while preserving their appearance (except for Stonedge products).

PROPER COLOR DISTRIBUTION AND LAYERING TECHNIQUES

Proper installation enhances the overall colour of masonry elements. To achieve beautiful results, units should be randomly picked from at least four pallets of the same lot number, and installed alternately. when installing. This creates an attractive and subtle blending of colour. Techo-Bloc accepts no responsibility or liability whatsoever if installation does not follow these guidelines.

EFFLORESCENCE

This warranty does not apply to efflorescence. Efflorescence is a natural occurring process in all concrete products which sometimes appears in the form of a white powdery film on the surface. Efflorescence is more perceivable in darker colours such as Onyx Black and Charcoal as there is a higher level of contrast than with other blended colours. It does not, in any way, compromise the functionality or the structural integrity of the product. Although efflorescence cannot be prevented, the rain will wash it off over time. Efflorescence can also be cleaned with a product compliant with Techo-Bloc's or the cleaning product's directives. Techo-Bloc accepts no responsibility or liability for this condition.

CONSTRUCTION RESIDUE

By-products of cutting with a saw are residue-filled water and concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave stains. It is recommended to wash and remove the water or concrete dust from the masonry's surface before it dries. Organic residues may also stain surfaces during construction. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Techo-Bloc accepts no responsibility or liability for these occurrences.



Warranty

The Techo-Bloc warranty is applicable to all masonry products manufactured by Techo-Bloc. We are proud to certify that these products meet and/or surpass the requirements of the Canadian Standards Association (CSA A165.04) and the American Society for Testing Materials (ASTM-C55). These standards provide requirements for density, absorption, compressive strength, as well as, materials, facing, sampling/testing, and packaging.

Techo-Bloc guarantees the lasting structural integrity of its masonry products for a period of 50 years and warrants that its products are free from manufacturing defects.

This warranty is offered to the original purchaser of the product with proof of purchase. It applies to original installations only; once the masonry product is removed from its original installation, the Techo-Bloc warranty is no longer applicable.

In the case where building standards, regulations and Techo-Bloc's own guidelines were not adhered to during the product's installation process, Techo-Bloc cannot take responsibility for the product's deterioration resulting from poor installation.

Efflorescence is the result of a naturally occurring phenomenon in concrete materials, which appears on the surface in the form of a white powdery layer. Various efflorescence cleaning products are available on the market. Due to the organic nature of this process, Techo-Bloc cannot accept responsibility or liability for this natural occurence. For additional information on efflorescence, please visit the technical publications section of http://www.masonryinstitute.org.

In the case of a warranty claim deemed legitimate through a product inspection, Techo-Bloc will honor its warranty by exchanging the Techo-Bloc material. Techo-Bloc's responsibility is limited solely to the product and is not responsible for any installation costs. It is the responsibility and upon the good faith of the installer to inspect the delivered material and to advise Techo-Bloc should there be any issues prior to installation of the materials. Once installed, Techo-Bloc cannot guarantee the color match of any replacement units.

This warranty does not apply to natural wear or any damage resulting from a natural disaster, product handling or from a deliberate and/or negligible act on the part of the purchaser, owner of the building, installer or any third party.

Should you require assistance, please contact the authorized Techo-Bloc retailer from which you purchased the product or Techo-Bloc's customer service department at 1.877.832.4625. We take pride in our high-quality products and in satisfying our customers.

NOTE:
To give them their distinct appearance, the products in the Stonedge Collection are manufactured with a different process from our other product lines. Although they comply with the most recent industry standards both in Canada and in the United States, Techo-Bloc's warranty on the use of de-icing salts does not apply to Stonedge products.





Landscape Catalog

Need inspiration for your backyard project?

Discover top design trends and the best landscaping products!

From patio stones to outdoor fire pits, browsing our catalog will surely inspire you while designing your outdoor space. Our catalog is centered around the design pillars that make Techo-Bloc products stand out from the rest. We focus on showing how to play with color, scale and texture to elevate your next landscaping renovation.

techo-bloc.com/collection/catalogs




Institutional, Commercial & Industrial

Where design meets durability

With over 35 international patents, we aim to strike the perfect balance of natural hues and incredibly-authentic textures across a diverse range of scale. Discover the widest selection of commercial grade pavements engineered to bring your design to life, even in the harshest environments.

Visit techo-bloc.com/specifier





TECHO—BLOC

INSPIRING ARTSCAPES



Masonry Catalog