
THE SPECBOOK OF IN-LITE



PRODUCT GROUP


RECESSED LIGHTS


Illuminate your pathways, deck risers, terraces, driveways, façades, walls, and trees from the ground up. Choose from a variety of recessed fixtures and personalize them with different ring finishes and styles to achieve the desired light effect and atmosphere.

DB-LED

Article number 10102402
VA 0.50
Output 0.50 Watt
CRI 94
Color temperature 2850 K
Lumens 25
IP 67

COOL WHITE | 1010250 | CRI 79 | 5800K







PUCK



VA 2.50
Output 1.50 Watt
CRI 96
Color temperature 2900 K
Lumens 11
IP 67

● Black 10104165
● Pearl Grey 10104160







PUCK 22



VA 0.60
Output 0.60 Watt
CRI 96
Color temperature 2900 K
Lumens 3
IP 67

● Black 10104175
● Pearl Grey 10104170






NEW


FUSION



Article number 10101703
VA 1.00
Output 0.90 Watt
CRI 93
Color temperature 2650 K
Lumens 16
IP 67

● Black 99380000 ● Pearl Grey 99380010
○ Stainless Steel 99380020







FUSION 22




Article number 10104100
VA 0.20
Output 0.20 Watt
CRI 93
Color temperature 2750 K
Lumens 1
IP 67






NEW


FUSION 22 (ADD RING)



Article number 10104151
VA 0.20
Output 0.20 Watt
CRI 93
Color temperature 2750 K
Lumens 1
IP 67

● Black 99390000 ● Pearl Grey 99390010
○ Stainless Steel 99390020





NEW


HYVE




Article number 10103901
VA 0.80
Output 0.80 Watt
CRI 95
Color temperature 3000 K
Lumens 17
IP 67

● Black 99400000 ● Pearl Grey 99390010
○ Stainless Steel 99390020

COOL WHITE | 10103950 | CRI 74 | 5500K







HYVE 22



Article number 10104050
VA 0.20
Output 0.20 Watt
CRI 95
Color temperature 3100 K
Lumens 2
IP 67





NEW





HYVE 22 (ADD RING)

Article number	10104001
VA	0.20
Output	0.20 Watt
CRI	95
Color temperature	3000 K
Lumens	2
IP	67

● Black 99410000 ● Pearl Grey 99410010
○ Stainless Steel 99410020

COOL WHITE | 10104020 | CRI 72 | 5500K






NEW




DOT

Article number	10103905
VA	0.80
Output	0.40 Watt
CRI	98
Color temperature	2850 K
Lumens	16
IP	67


● Black 99100000 ● Pearl Grey 99100010
○ Stainless Steel 99100020






DOT 22

Article number	10101710
VA	0.50
Output	0.36 Watt
CRI	98
Color temperature	2850 K
Lumens	2
IP	67






NEW




DOT 22 (ADD RING)

Article number	10101715
VA	0.50
Output	0.36 Watt
CRI	98
Color temperature	2850 K
Lumens	1
IP	67

● Black 99110000 ● Pearl Grey 99110010
○ Stainless Steel 99110020





NEW




FLUX

Article number	10103201
VA	2.50
Output	1.50 Watt
CRI	92
Color temperature	3000 K
Lumens	99
IP	67

● Black 99360000 ● Pearl Grey 99360010
○ Stainless Steel 99360020







NEW



FLUX 22

Article number	10103250
VA	2.00
Output	1.20 Watt
CRI	90
Color temperature	3000 K
Lumens	76
IP	67






NEW




FLUX 22 (ADD RING)

Article number	10103255
VA	2.00
Output	1.20 Watt
CRI	90
Color temperature	3000 K
Lumens	76
IP	67

● Black 99370000 ● Pearl Grey 99370010
○ Stainless Steel 99370020







SMART FLUX TONE

Article number	10103205
VA	9.50
Output	6.00 Watt
CRI	85+ | RGBW
Lumens	144
Features	Dimmable | Tone
IP	67

● Black 99200000 ● Pearl Grey 99200010
○ Stainless Steel 99200020









BIG FLUX

Article number	10103210
VA	4.20
Output	3.00 Watt
CRI	93
Color temperature	3100 K
Lumens	272
IP	67

● Black 99030000 ● Pearl Grey 99030010
○ Stainless Steel 99030020









BIG FLUX NARROW

Article number	10103220
VA	4.20
Output	3.00 Watt
CRI	93
Color temperature	3100 K
Lumens	266
IP	67

● Black 99040000 ● Pearl Grey 99040010
○ Stainless Steel 99040020











BIG FLUX ASYMMETRIC

Article number	10103240
VA	4.20
Output	3.00 Watt
CRI	93
Color temperature	3100 K
Lumens	258
IP	67

● Black 99020000 ● Pearl Grey 99020010
○ Stainless Steel 99020020









NERO

Article number	10103401
VA	4.70
Output	3.00 Watt
CRI	93
Color temperature	3100 K
Lumens	257
IP	67








BIG NERO

Article number	10103451
VA	11.90
Output	7.50 Watt
CRI	92
Color temperature	3100 K
Lumens	488
Features	in-lite Motion
IP	67









BIG NERO NARROW

Article number	10103460
VA	11.90
Output	7.50 Watt
CRI	91
Color temperature	3100 K
Lumens	476
Features	in-lite Motion
IP	67









LUNA

Article number	10104180
VA	5.00
Output	3.00 Watt
CRI	94
Color temperature	3100 K
Lumens	220
IP	67

● Black 99130000 ● Pearl Grey 99130010
○ Stainless Steel 99130020









EVO GROUND 300

Article number	10104500
VA	1.00
Output	1.00 Watt
CRI	95
Color temperature	3000 K
Lumens	39
IP	67







NEW



EVO FLOOD

Article number	10401300
VA	8.00
Output	5.00 Watt
CRI	97
Color temperature	3000 K
Lumens	283
IP	67





RECESSED LIGHTS

ACCESSORIES



SPIKE 60
for Ø 2-3/8"
recessed lights



SPIKE 22
for Ø 7/8"
recessed lights



BOX 1
for Ø 2-3/8"
recessed lights

● ● ●



PLATE 1
for Ø 2-3/8"
recessed lights

● ● ●



RING 68
for Ø 2-3/8"
recessed lights

● ● ●




RING 28
for Ø 7/8"
recessed lights

● ● ●



RING 28 SHIELD
for Ø 7/8"
recessed lights

● ● ●


14 m / 45.93 ft
13 m / 42.65 ft
12 m / 39.37 ft
11 m / 36.09 ft
10 m / 32.81 ft
9 m / 29.53 ft
8 m / 26.25 ft
7 m / 22.97 ft
6 m / 19.69 ft
5 m / 16.40 ft
4 m / 13.12 ft
3 m / 9.84 ft
2 m / 6.56 ft
Angles
2 m / 6.56 ft
24°
FLUX
2.5 m / 8.20 ft
49°
FLUX 22
3 m / 9.84 ft
32°
SMART FLUX TONE
3.5 m / 11.48 ft
26°
BIG FLUX
3 m / 9.84 ft
13°
BIG FLUX NARROW
2.5 m / 8.20 ft
18°| 65°
BIG FLUX ASYM-METRIC
3.5 m / 11.48 ft
25°
NERO
6.5 m / 21.33 ft
49°
BIG NERO
4.5 m / 14.76 ft
18°
BIG NERO NARROW
5.5 m / 18.04 ft
79°| 85°
LUNA
4 m / 13.12 ft
89°
EVO GROUND 300
10 m / 32.81 ft
82°
EVO FLOOD

PRODUCT GROUP


SPOTLIGHTS


Illuminate from the smallest plants to the tallest trees while adding layers and depth to your spaces. Use our spotlight directory to choose the right spot for your application and customize the light output using handy accessories like SHIELD, RISER, and BRACE.



MICRO SCOPE

Article number	10400625
VA	1.10
Output	0.60 Watt
CRI	91
Color temperature	2900 K
Lumens	44
IP	67









MINI SCOPE

Article number	10400601
VA	2.00
Output	1.00 Watt
CRI	93
Color temperature	2900 K
Lumens	64
IP	67








SCOPE

Article number	10400503
VA	5.20
Output	3.00 Watt
CRI	91
Color temperature	3100 K
Lumens	271
IP	67









SMART SCOPE TONE

Article number	10401050
VA	9.50
Output	6.00 Watt
CRI	85+ | RGBW
Lumens	144
Features	Dimmable | Tone
IP	67









BIG SCOPE

Article number	10401002
VA	8.00
Output	5.00 Watt
CRI	91
Color temperature	3100 K
Lumens	422
IP	67








BIG SCOPE NARROW

Article number	10400902
VA	7.90
Output	5.00 Watt
CRI	92
Color temperature	3100 K
Lumens	444
IP	67









SUB

Article number	10401101
VA	4.70
Output	3.00 Watt
CRI	91
Color temperature	3000 K
Lumens	293
IP	68









MINI SCOPE DUO

Article number	10400606
VA	4.00
Output	2.00 Watt
CRI	93
Color temperature	2900 K
Lumens	64
IP	67









AIM

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	2.10
Output	1.20 Watt
CRI	90
Color temperature	3000 K
Lumens	84
IP	67

● Black









AIM DUO

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	4.20
Output	2.40 Watt
CRI	90
Color temperature	3000 K
Lumens	84
IP	67

● Black









AIM TRIPLE

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	6.30
Output	3.60 Watt
CRI	90
Color temperature	3000 K
Lumens	84
IP	67

● Black





SPOTLIGHTS

ACCESSORIES



SHIELD 1 & 2
for MINI SCOPE
& SCOPE



KILLFLASH 1 & 2
for MINI SCOPE
& SCOPE




RISER 1 & 2
for MINI SCOPE,
(SMART) SCOPE
(TONE) & BIG SCOPE
(NARROW)



BRACE
for MINI SCOPE,
SCOPE & BIG SCOPE
(NARROW)




14 m / 45.93 ft
13 m / 42.65 ft
12 m / 39.37 ft
11 m / 36.09 ft
10 m / 32.81 ft
9 m / 29.53 ft
8 m / 26.25 ft
7 m / 22.97 ft
6 m / 19.69 ft
5 m / 16.40 ft
4 m / 13.12 ft
3 m / 9.84 ft
2 m / 6.56 ft
Angles
1.5 m / 4.92 ft
35°
2 m / 6.56 ft
36°
3.5 m / 11.48 ft
25°
3 m / 9.84 ft
28°
6.5 m / 21.33 ft
51°
4.5 m / 14.76 ft
14°
4.5 m / 14.76 ft
48°
2 m / 6.56 ft
36°
3 m
9.84 ft
2 m / 6.56 ft
35°
MICRO SCOPE
MINI SCOPE
SCOPE
SMART SCOPE TONE
BIG SCOPE
BIG SCOPE NARROW
SUB
MINI SCOPE DUO
AIM

PRODUCT GROUP

UNDERCAP LIGHTS


Choose from flexible LED light strips like EVO FLEX to subtle ledge lights like EVO HYDE to accent hardscape steps, retaining walls, decking, borders, and benches. Enhance the ambiance, safety and design of every corner of your outdoor spaces with our undercap lights.




EVO HYDE 180C

Article number	10202600
VA	0.60
Output	0.50 Watt
CRI	95
Color temperature	2950 K
Lumens	25
IP	55

- Black 10250105
- Rose Silver 10250100









EVO HYDE 550

Article number	10250150
VA	2.10
Output	2.00 Watt
CRI	93
Color temperature	2950 K
Lumens	91
IP	55









SMART EVO FLEX TONE 1, 2 & 5

SMART EVO FLEX TONE 1	99190010
SMART EVO FLEX TONE 2	99190020
SMART EVO FLEX TONE 5	99190050
VA	4.50 / 7.50 / 14.50
Output	2.50 / 4.50 / 10.00 Watt
CRI	85+ | RGBW
Lumens	47 / 83 / 180
Features	Dimmable | Tone
IP	67









SMART EVO FLEX 1, 2 & 3

SMART EVO FLEX 1	99180010
SMART EVO FLEX 2	99180020
SMART EVO FLEX 3	99180030
VA	9.90 / 15.70 / 20.20
Output	6.50 / 11.00 / 14.50 Watt
CRI	86
Color temperature	3000 K
Lumens	229 / 410 / 534
Features	Dimmable
IP	67









EVO FLEX 1, 2 & 3

EVO FLEX 1	99120010
EVO FLEX 2	99120020
EVO FLEX 3	99120030
VA	9.90 / 15.70 / 20.20
Output	6.50 / 11.00 / 14.50 Watt
CRI	86
Color temperature	3000 K
Lumens	229 / 410 / 534
IP	67





UNDERCAP LIGHTS

ACCESSORIES



EVO FLEX FIX
for (SMART) EVO FLEX (TONE)



FIX 3
for EVO HYDE



FIX 4
for EVO HYDE



FIX 5
for EVO HYDE



PROFILE 1
for EVO FLEX



PROFILE 2
for EVO FLEX



PROFILE 3
for EVO FLEX



PROFILE 4
for EVO FLEX



CORNERS
for EVO FLEX

SPIKE
for EVO FLEX



CLIPS
for EVO FLEX

PRODUCT GROUP

PATH LIGHTS


Illuminate paths, terraces, borders, and driveways for style and safety. Choose the right fixture height and style to match your outdoor space design. Customize with handy accessories like WINK and SWAY CAP to direct the light source and prevent glare.


NEW



BREEZE

BREEZE LOW	10202810
BREEZE	10202800
VA	1.70
Output	0.95 Watt
CRI	95
Color temperature	2750 K
Lumens	40
Features	in-lite Breathe
IP	55









MINI SWAY

VA	0.60
Output	0.50 Watt
CRI	95
Color temperature	2900 K
Lumens	33
IP	55

	Black	Pearl Grey
MINI SWAY	99140000	99140010
" LOW	99150000	99150010
" EXTRA LOW	99160000	99160010









SWAY

VA	1.00
Output	1.00 Watt
CRI	95
Color temperature	2900 K
Lumens	59
IP	55

	Black	Pearl Grey
SWAY	99210000	99210010
" LOW	99220000	99220010
" EXTRA LOW	99230000	99230010









SWAY TABLE

Article number	10202461
VA	0.50
Output	0.60 Watt
CRI	96
Color temperature	2900 K
Lumens	110
Features	in-lite Human Dimming
IP	55

● Black






NEW




AIM FLOOR

AIM FLOOR	99440000
AIM FLOOR 100-230V	99440010
VA	2.10
Output	1.20 Watt
CRI	95
Color temperature	3000 K
Lumens	84
IP	67

● Black








VOQUE

VOQUE	10202700
VOQUE 100-230V	99280010
VA	5.20
Output	3.00 Watt
CRI	89
Color temperature	2750 K
Lumens	36
IP	55









BIG VOQUE

BIG VOQUE	10202705
BIG VOQUE 100-230V	99050010
VA	8.00
Output	5.00 Watt
CRI	89
Color temperature	2750 K
Lumens	61
IP	55









ACE

VA	5.30
Output	3.00 Watt
CRI	91
Color temperature	3000 K
Lumens	173
IP	55

● Corten 10202361 ● Dark Grey 10202350
○ White 10202355 ● Rose Silver 10202300







ACE HIGH

VA	5.30
Output	3.00 Watt
CRI	94
Color temperature	3000 K
Lumens	85
IP	55

Corten 10201803 · Dark Grey 10201790
White 10201795 · Rose Silver 10201785







LIV LOW

VA	2.50
Output	1.50 Watt
CRI	95
Color temperature	2750 K
Lumens	60
IP	55

Corten 10201782 · Dark Grey 10201761
White 10201776 · Rose Silver 10201751







LIV

VA	2.50
Output	1.50 Watt
CRI	95
Color temperature	2750 K
Lumens	60
IP	55

Corten 10201732 · Dark Grey 10201716
White 10201726 · Rose Silver 10201701







DISC LOW

Article number	99070000
VA	4.90
Output	3.00 Watt
CRI	98
Color temperature	2900 K
Lumens	211
IP	55

Black









DISC

Article number	99060000
VA	4.90
Output	3.00 Watt
CRI	98
Color temperature	2900 K
Lumens	211
IP	55

Black









EVO LOW

Article number	10202510
VA	2.10
Output	2.00 Watt
CRI	95
Color temperature	2950 K
Lumens	79
IP	55

Black









EVO

Article number	10202500
VA	2.10
Output	2.00 Watt
CRI	95
Color temperature	2950 K
Lumens	76
IP	55

Black









NAIL LOW

Article number	10202755
VA	1.50
Output	1.40 Watt
CRI	96
Color temperature	2900 K
Lumens	71
IP	65

Black









NAIL

Article number	10202750
VA	1.50
Output	1.40 Watt
CRI	96
Color temperature	2900 K
Lumens	71
IP	65

Black







PATH LIGHTS

ACCESSORIES



WINK
for ACE



(MINI) SWAY CAP
for (MINI) SWAY

BELT
for (BIG) VOQUE



TRIPOD
for (BIG) VOQUE

PRODUCT GROUP

WALL LIGHTS


Accent pergolas, fences, walls, and façades to create warm and inviting spaces. Select your preferred wall lighting effect: downlight, up-and-down, or all-around. Use handy accessories like SHUTTER to adjust the beam angle and achieve the desired lighting effect.




MINI SWAY WALL

VA	0.50
Output	0.60 Watt
CRI	96
Color temperature	2900 K
Lumens	33
IP	55

- Black 99170000
- Pearl Grey 99170010









SWAY WALL

VA	1.00
Output	1.00 Watt
CRI	95
Color temperature	2900 K
Lumens	59
IP	55

- Black 99270000
- Pearl Grey 99270010









DISC WALL

Article number	99090000
VA	4.90
Output	3.00 Watt
CRI	98
Color temperature	2900 K
Lumens	211
IP	55

- Black









DISC WALL 100-230V

Article number	99090010
VA	4.70
Output	4.50 Watt
CRI	98
Color temperature	2900 K
Lumens	246
IP	55

- Black









ACE DOWN

VA	5.30
Output	3.00 Watt
CRI	91
Color temperature	3000 K
Lumens	173
IP	55

- Corten 10301861
- Dark Grey 10301850
- White 10301855
- Rose Silver 10301800









ACE UP-DOWN

VA	10.30
Output	6.50 Watt
CRI	92
Color temperature	3000 K
Lumens	355
IP	55

- Corten 10301961
- Dark Grey 10301950
- White 10301955
- Rose Silver 10301900









ACE DOWN 100-230V

VA	11.80
Output	4.50 Watt
CRI	92
Color temperature	3000 K
Lumens	186
IP	55

- Corten 10302121
- Dark Grey 10302110
- White 10302115
- Rose Silver 10302105









ACE UP-DOWN 100-230V

VA	20.00
Output	8.50 Watt
CRI	92
Color temperature	3000 K
Lumens	346
IP	55

- Corten 10302061
- Dark Grey 10302050
- White 10302055
- Rose Silver 10302000









HALO DOWN

Article number 10302600
VA 5.00
Output 3.00 Watt
CRI 92
Color temperature 3000 K
Lumens 155
IP 55

● Black









HALO UP-DOWN

Article number 10302605
VA 10.00
Output 6.50 Watt
CRI 92
Color temperature 3000 K
Lumens 361
IP 55

● Black









HALO DOWN 100-230V

Article number 10302615
VA 11.50
Output 4.50 Watt
CRI 92
Color temperature 3000 K
Lumens 191
Features Dimmable
IP 55

● Black









HALO UP-DOWN 100-230V

Article number 10302610
VA 20.00
Output 8.50 Watt
CRI 92
Color temperature 3000 K
Lumens 346
Features Dimmable
IP 55

● Black








EVO DOWN

Article number 10302500
VA 2.10
Output 2.00 Watt
CRI 95
Color temperature 2950 K
Lumens 81
IP 53

● Black






EVO DOWN 100-230V

Article number 10302505
VA 11.50
Output 4.50 Watt
CRI 92
Color temperature 3000 K
Lumens 106
IP 55

● Black









MINI WEDGE

VA 0.60
Output 0.60 Watt
CRI 95
Color temperature 2900 K
Lumens 24
IP 55

○ White 10301785
● Dark Grey 10301780









WEDGE

VA 1.60
Output 1.00 Watt
CRI 94
Color temperature 2800 K
Lumens 33
IP 55

○ White 10301765 ○ Rose Silver 10301700
● Dark Grey 10301750









WEDGE SLIM

VA 1.00
Output 1.00 Watt
CRI 96
Color temperature 2800 K
Lumens 36
IP 55

○ White 10301775
● Dark Grey 10301770









BLINK

VA 1.70
Output 1.00 Watt
CRI 95
Color temperature 2800 K
Lumens 52
IP 55

○ White 10301265 ○ Rose Silver 10301200
● Dark Grey 10301250









CUBID

VA	0.60
Output	0.52 Watt
CRI	93
Color temperature	2800 K
Lumens	15
IP	55

○ White 10301011 ○ Rose Silver 10301001
● Dark Grey 10301006









BIG CUBID

VA	2.00
Output	1.00 Watt
CRI	93
Color temperature	2900 K
Lumens	64
IP	55

○ White 10301020 ○ Rose Silver 10301025
● Dark Grey 10301015





WALL LIGHTS
ACCESSORIES



SHUTTER 1
for ACE & HALO 12V



SHUTTER 2
for ACE & HALO 230V



FIT
for HALO, ACE,
BIG CUBID & WEDGE



WALL MOUNT
for EVO DOWN
100-230V



LENS CLEAR & DIFFUSE
for ACE & HALO




FIX 1
for BLINK & WEDGE



TOUCH DIMMER
for dimming 12V wall
lights & ceiling lights

follow us on @inlite_global



ACE DOWN (100-230V)
ACE UP-DOWN (100-230V)
HALO DOWN (100-230V)
HALO UP-DOWN (100-230V)
EVO DOWN
EVO DOWN 100-230V
MINI SWAY WALL
SWAY WALL
DISC WALL (100-230V)
MINI WEDGE
WEDGE
WEDGE SLIM
BLINK
CUBID
BIG CUBID

PRODUCT GROUP

CEILING LIGHTS


Ceiling lights bring warmth, safety and ambiance from above. Ideal to accent pergolas, lounge areas, dining tables and seating areas. Set the mood of the space and enjoy the comforts of modern and functional lighting after sunset with our ceiling lights.




AIM CEILING

Article number	10401365
VA	2.10
Output	1.20 Watt
CRI	90
Color temperature	3000 K
Lumens	84
IP	55

● Black









MINI SCOPE CEILING

Article number	10400610
VA	2.00
Output	1.00 Watt
CRI	93
Color temperature	2900 K
Lumens	64
IP	67









SCOPE CEILING

Article number	10400510
VA	4.80
Output	3.00 Watt
CRI	91
Color temperature	3100 K
Lumens	271
IP	67









SWAY PENDANT

VA	1.00
Output	0.90 Watt
CRI	96
Color temperature	2900 K
Lumens	68
IP	55

● Black 10202465
● Pearl Grey 10202490









SWAY PENDANT 100-230V

VA	7.10
Output	2.50 Watt
CRI	96
Color temperature	2900 K
Lumens	92
Features	in-lite Human Dimming
IP	55

	Black	Pearl Grey
SWAY PENDANT	● 99240000	● 99240010
" DUO	● 99260000	● 99260010
" TRIPLE	● 99250000	● 99250010









DISC PENDANT

Article number	10202650
VA	4.90
Output	3.00 Watt
CRI	98
Color temperature	2900 K
Lumens	196
IP	55

● Black









DISC PENDANT 100-230V

DISC PENDANT 100-230V	99080000
DUO / TRIPLE	99080020 / 99080030
VA	11.80
Output	4.50 Watt
CRI	98
Color temperature	2900 K
Lumens	216
Features	in-lite Human Dimming
IP	55

● Black





CEILING LIGHTS

ACCESSORIES



BASE 1
for SWAY PENDANT
& DISC PENDANT



SWAY PENDANT CAP
for SWAY PENDANT

www.in-lite.com

@inlite_global

@In-lite Global

@inlite_global

@inlite_lab

in-lite®

OUTDOOR LIGHTING

Are you a professional?
Follow us on

@inlite_pros.na